

Product Fiche

According to Annex IV of COMMISSION DELEGATED REGULATION(EU) No 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device.

Manufacture	MIDEA
Tank reference	BSX190
Indoor unit reference	SMK-160/CD30GN1-B
Outdoor unit reference	MHA-V12W/D2N1

	In average climatic conditions		
	Space Heater Temperature setting: 55°C	Water Heating Declared Load Profile: L	
Seasonal Energy efficiency class η _S η _{Wh}	A++	А	
Nominal heating power (kW)	12	-	
Annual energy consumption QHE AEC (kWh/year)	7833	1367	
Seasonal Energy efficiency $\eta_{s} \mid \eta_{wh} \pmod{\%}$	127	82	

Indoor Sound Power Level (dB(A))	45
Outdoor Sound Power Level (dB(A))	68

	In cold climatic	In warm climatic
	Space Heating	Space Heating
Nominal heating power (kW)	12	11
Annual energy consumption QHe AEC (kWh/year)	10972	3491
Seasonal Energy efficiency n _s n _{wh} (%)	111	172

(a) The sound power level (dB(A)) is measured in heating mode, according to the standard EN12102/2013; (b) The nominal heating capacity is equal to Pdesign requirement at Tdesign, supplemented by Psup, if needed. (c) Date are calculated According to the EN14825 standard & EN14511 and the Commission communication 2014/C 207/02.

Special precaution to take during assembly, installation, maintenance

This appliance must be installed, maintained and dismantled by professionals. Do not vent contained refrigerant into the atmosphere since this refrigerant fluid is a fluorinated greenhouse gas regulated under European Regulation (EU) No 517/2014.

